

**RECEIVED**  
CENTRAL FAX CENTER

DEC 21 2006

**BUTZEL LONG**  
ATTORNEYS AND COUNSELORSStoneridge West  
41000 Woodward Avenue  
Bloomfield Hills, MI 48304  
(248) 258-1616

Fax: (248) 258-1439

**Fax Cover Sheet**

Please deliver the following pages to:

Name: Examiner E. Pico GAU 3654Firm: U.S. Patent and Trademark Office

City &amp; State: \_\_\_\_\_

Fax Number: 571-273-8300File Reference: 132702-129

From:

Name: William J. ClemensDate: December 21, 2006 Time: 12:13 PM☐ Please Confirm TransmissionContact Phone No 248-593-3019Message: Please see the following Response for filing in patent application S/N 10/714,248.Thank you.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

This material is intended only for the individual or entity to which it is addressed. It may contain privileged, confidential information which is exempt from disclosure under applicable laws. If you are not the intended recipient, please note that you are strictly prohibited from disseminating or distributing this material (other than to the intended recipient) or copying this material. If you have received this communication in error, please notify us immediately by telephone and return this material (and all copies) to us by mail at the above address. On request, we will reimburse you for any cost of return. Thank you.

Number of Pages (including this cover page) 16

If you do not receive all of the pages, please call back as soon as possible

Office Services: (248) 258-4495

**CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8**  
I hereby certify that this correspondence is being facsimile transmitted  
to the Commissioner for Patents on:

**RECEIVED**  
**CENTRAL FAX CENTER**  
**DEC 21 2006**

DECEMBER 21, 2006  
Date of signature and transmission

By William J. Clemens  
William J. Clemens

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: HAGER	)	Group Art Unit: 3654
	)	
Serial No.: 10/714,248	)	Examiner: E. Pico
	)	
Filed: November 13, 2003	)	Attorney Docket: 132702-129
	)	(formerly 16502)
For: HYDRAULIC ELEVATOR REPAIR	)	
<u>SAFETY PLATFORM</u>	)	

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT**

Honorable Sir:

Please amend the above-identified application as set forth on the following pages.

Respectfully submitted,

William J. Clemens  
William J. Clemens, Reg. No. 26,855  
(248) 593-3019

Butzel Long  
Stoneridge West  
41000 Woodward Avenue  
Bloomfield Hills, MI 48304

000132702V0129V822847-1